


What already exists in our area? What else is needed?

XYZ Partnership & ABC Hospital



Readiness area	Key Action(s)	Lead Person	By When
Support	<p>Violence is prioritised by the CSP. ED is completing an Assault dataset and recognise the value of datasharing. We are agreed that we want to move this agenda forward.</p> <p>Actions: we will pilot three months use of current datasets and then re-met as a group (Hospital and CSP) to decide the next steps - including IT and the benefits of the data.</p>	ALL	Jan 2012
Data	<p>Our ED issue is that the current collection of assault data can only be broken down into the following location identifiers:</p> <ul style="list-style-type: none"> - home, public space, licensed premises, other. <p>Within the licensed premises field ED have created a drop down list of all licensed premises in XY City centre. This was initiated to help Licensing - but it takes time for the reception staff to scroll down.</p> <p>Actions:</p> <ul style="list-style-type: none"> - ED to share the current dataset with key people in XY Partnership - ED to receive a small distribution list for data recipients at the CSP <p>There is a concern about the new NHS rules around sharing any data that might identify patients. The CSP confirmed that data will be used for tactical and prevention work only - not to aid prosecution.</p> <p>Actions:</p> <ul style="list-style-type: none"> - ED to confirm within the hospital the confidentiality issues - CSP to agree and, if necessary, draft and sign a datasharing compact. 	JM SN	End Oct 11 Early Oct 11
IT	<p>Our biggest barrier to moving forward to meet the Minimum Dataset requirement is the need to have a new open text field in the IT system to specify location my usefully. This is likely to cost</p> <p>Actions:</p> <ul style="list-style-type: none"> - To discuss with IT provider the cost and development timeline - To discuss with other users of this IT system how they have got round it - To discuss with Zara Anderson at the TIIG project in Liverpool if they have supported any ED there with the same system to implement an upgrade to a free text box - To share the outcome of the discussions with this group after three months <p>ED is due a new IT system in two years time - it may be that changes cannot be made until then. In which case the CoEM Minimum Dataset will be part of the specification for the new system.</p>	MV MV MV MV	Oct 11 Oct 11 Oct 11 Oct 11

